

Stayhot Price List 2015



“The quality is
remembered long after
the price is forgotten.”

Sir Henry Royce

Stayhot develops, manufactures and sells Sweden's finest and most reliable food warming products.

We've refined our comprehensive product portfolio during the company's 30 years in the industry. Our own brand, *Stayhot*, stands for high quality & function whilst providing reasonable prices.

Our entire product range is manufactured by hand in Sweden, Germany & Austria .

Prices valid from 15 June 2015 until further notice.



Stayhot Price List 2015

Contents

| | |
|--------------------------|----|
| Strip Heaters | 6 |
| Heat Lamps | 8 |
| Hot Trays | 14 |
| Combo Plates | 18 |
| Chill Trays | 30 |
| Deep Fryers | 32 |
| Cooking Plates | 34 |
| Thermoses & Soup Warmers | 36 |
| Spare Parts | 38 |
| Contact | 39 |

Above Stayhot Classic 1224 HSA
Ericsson Food Court, Kista, Stockholm

Strip Heaters

Our Stayhot strip heaters are made in Sweden from stainless steel and fitted with safety grills.



Above Stayhot VL-1125
O'Learys, Tolv Stockholm



Strip Heaters

Comes with adjustable fastening ends.
Table stand or chains for hanging are available as addons.
All prices in Swedish Kronors (SEK) excluding GST.

Without Lights



V-640



V-570

| | | | |
|--------|-----------|--------------|--------|
| V-570 | L: 570mm | Power: 575W | 3770:- |
| V-640 | L: 640mm | Power: 575W | 3970:- |
| V-945 | L: 945mm | Power: 750W | 4630:- |
| V-1250 | L: 1250mm | Power: 1000W | 4950:- |

| | |
|--------------|--|
| Material | Chassi and safety net in stainless steel |
| Heat Source | Quartz heating element with variable control |
| Installation | 30-40 cm above the food |
| Width | See above |
| Depth | 150mm (all models) |
| Height | 60mm (all models) |
| Power | 230 V |

With Lights



VL-820



VL-750

| | | | |
|---------|-----------|-----------------|--------|
| VL-750 | L: 750mm | Power: 575+50W | 4460:- |
| VL-820 | L: 820mm | Power: 575+50W | 4630:- |
| VL-1125 | L: 1125mm | Power: 750+50W | 5260:- |
| VL-1430 | L: 1430mm | Power: 1000+50W | 5450:- |

| | |
|--------------|--|
| Material | Chassi and safety net in stainless steel |
| Heat Source | Quartz heating element with variable control |
| Installation | 30-40 cm above the food |
| Width | See above |
| Depth | 150mm (all models) |
| Height | 60mm (all models) |
| Power | 230 V |

Heat Lamps

Our Stayhot heat lamps are available in several models and colours, and as fixed length or rise and fall.



Above Stayhot Exclusive 22001M
Artipelag, Värmdö, Stockholm



On Top Stayhot Exclusive 22001C
Stockholmsmässan, Stockholm

Above Stayhot Classic 1224 HSA
Ericsson Food Court, Kista, Stockholm



Below Stayhot Classic 1224 HSK
Ericsson Food Court, Kista, Stockholm

Heat Lamps

Classic

Our Stayhot heat lamps are available in several models and colours, and as fixed length or rise and fall.

All prices in Swedish Kronors (SEK) excluding GST.

Heat Lamp Classic 1224 (Rise & Fall)



1224 HSK

1224 HSM

1224 HSA

| | | |
|-----------------|--------------------|---------------|
| 1224 HSK | Anodized Copper | 2990:- |
| 1224 HSM | Anodized Brass | 2990:- |
| 1224 HSA | Anodized Aluminium | 2990:- |
| 1224 HSS | Black Painted | 2990:- |
| 1224 HSC | Chrome | 3290:- |

| | |
|------------------------|------------------------|
| Shade | H=360mm, Ø 180mm |
| Rise & Fall | Min 900mm / Max 1600mm |
| Power | 230 V / 250 W |

Heat Lamp Classic 1222 (Fixed)



1222 KK

1222 KM

1222 KA

| | | |
|----------------|--------------------|---------------|
| 1222 KK | Anodized Copper | 1780:- |
| 1222 KM | Anodized Brass | 1780:- |
| 1222 KA | Anodized Aluminium | 1780:- |

| | |
|--------------|-----------------|
| Shade | H=290mm, Ø180mm |
| Cable | L=1900mm |
| Power | 230 V / 250 W |

Heat Lamp Classic 1230 (Fixed)



1230 K

1230 M

1230 A

| | | |
|---------------|--------------------|--------------|
| 1230 K | Anodized Copper | 980:- |
| 1230 M | Anodized Brass | 980:- |
| 1230 A | Anodized Aluminium | 980:- |

| | |
|--------------|------------------|
| Shade | H=230mm, Ø 180mm |
| Power | 230 V / 250 W |

Heat Lamp Compact 27001 (Rise & Fall)



27001 C

27001 S

27001 V

| | | |
|----------------|--------|---------------|
| 27001 S | Silver | 2790:- |
| 27001 W | White | 2790:- |
| 27001 C | Copper | 2790:- |

| | |
|------------------------|------------------------|
| Shade | H=220, Ø 140mm |
| Rise & Fall | Min 850mm / Max 1600mm |
| Power | 230 V / 250 W |

Heat Lamp 1224 Trattoria (Rise & Fall)



1224 TOPIB

1224 TOPIA

| | | |
|-------------------|------------------------------|---------------|
| 1224 TOPIA | Trattoria Anodized Aluminium | 3235:- |
| 1224 TOPIB | Trattoria Anodized Bronze | 3235:- |

| | |
|------------------------|------------------------|
| Shade | Ø 285mm |
| Rise & Fall | Min 800mm / Max 1300mm |
| Power | 230 V / 250 W |

Heat Lamps

Exclusive

Heat Lamp Exclusive 22001 (Rise & Fall)



| | | |
|---------|--------|--------|
| 22001M | Brass | 3680:- |
| 22001Ko | Copper | 3680:- |
| 22001C | Chrome | 3680:- |

| | |
|-------------|------------------------|
| Shade | H=220mm, Ø 225mm |
| Rise & Fall | Min 900mm / Max 1600mm |
| Power | 230 V / 250 W |

22001Ko 22001M 22001C

Heat Lamp Exclusive 23001 (Rise & Fall)



| | | |
|--------|--------|--------|
| 23001C | Chrome | 3910:- |
|--------|--------|--------|

| | |
|-------------|------------------------|
| Shade | H=250mm, Ø 240mm |
| Rise & Fall | Min 900mm / Max 1600mm |
| Power | 230 V / 250 W |

23001 C

Heat Lamps

Stand Alone

Heat Lamp 24002 Double Stand-alone



| | | |
|-----------------|--------|--------|
| 24002 BC Double | Chrome | 7670:- |
| 24002 BG Double | Brass | 8325:- |

| | |
|--------|-------------------|
| Height | 700 mm |
| Shade | H=210, Ø 180 mm |
| Base | 200 x 200 x 40mm |
| Power | 230 V / 2 x 250 W |

Heat Lamp 24000B Stand-alone



| | | |
|----------|--------|--------|
| 24000 BC | Chrome | 4640:- |
| 24000 BG | Brass | 5150:- |
| 24000 BV | White | 4640:- |
| 24000 BS | Black | 4640:- |

| | |
|--------|------------------|
| Height | 700 mm |
| Shade | H=210, Ø 180mm |
| Base | 200 x 200 x 40mm |
| Power | 230 V / 250 W |



Hot Trays

Our Stayhot hot trays are manufactured with components from the leading manufacturer of ceramic glass in Europe.

Hot Trays

Stayhot

Our Stayhot hot trays are manufactured with components from the leading manufacturer of ceramic glass in Europe.

All prices in Swedish Kronors (SEK) excluding GST.

Stayhot WP250




WP250 2930:-

Effective hot tray for the food buffet, manufactured with ceramic glass.

| | |
|--------------------|-------------------|
| Material | Ceramic glass |
| Heat Source | Foil elements |
| Dimensions | 640 x 340 x 40 mm |
| Power | 230 V / 250 W |
| Heated Area | 530 x 325 mm |

Stayhot WP350



WP350 3340:-

Effective hot tray for the food buffet, manufactured with ceramic glass.

| | |
|--------------------|-------------------|
| Material | Ceramic glass |
| Heat Source | Foil elements |
| Dimensions | 720 x 425 x 40 mm |
| Power | 230 V / 350 W |
| Heated Area | 620 x 420 mm |

Stayhot WP305 RE



WP305 RE 3240:-

Hot tray with infinitely variable temperature via thermostat from 40 °C to 105 °C.

| | |
|--------------------|-------------------|
| Material | Ceramic glass |
| Heat Source | Foil elements |
| Dimensions | 640 x 340 x 40 mm |
| Power | 230 V / 305 W |
| Heated Area | 530 x 325 mm |

Stayhot WP405 RE



WP405 RE 3860:-

Hot tray with infinitely variable temperature via thermostat from 40 °C to 105 °C.

| | |
|--------------------|-------------------|
| Material | Ceramic glass |
| Heat Source | Foil elements |
| Dimensions | 720 x 425 x 40 mm |
| Power | 230 V / 405 W |
| Heated Area | 620 x 420 mm |

Stayhot WPE 307 Separate Controls



WPE307 5100:-

Elegant recessed hot tray with separate controls, for the food buffet, manufactured with ceramic glass.

| | |
|--------------------|-------------------|
| Material | Ceramic glass |
| Heat Source | Foil elements |
| Dimensions | 640 x 340 x 40 mm |
| Power | 230 V / 300 W |
| Heated Area | 530 x 325 mm |

Stayhot WPS 857



WPS 857 860:-

Robust hot plate for the buffet in stainless steel.

| | |
|--------------------|-------------------|
| Dimensions | 505 x 200 x 45 mm |
| Power | 230 V / 850 W |
| Heated Area | 530 x 325mm |

StayHot&Cold
Combo Plates

StayHot&Cold offers chill trays, hot trays and our revolutionary combo plates, offering extreme cold to searing heat, all in the same product!



Above Sandy Lane Resort, Barbados



On Top Crowne Plaza, Copenhagen
Above Ericsson Food Court, Kista, Stockholm



StayHot&Cold

Comfort Combi Plate


Cold/Hot Plate

StayHot&Cold offers chill trays, hot trays and our revolutionary combo plates, offering extreme cold to searing heat, all in the same product!

All prices in Swedish Kronors (SEK) excluding GST.

New!

SHC Combo GN 1/1



SHC Combo GN 1/1

27 900:-

Cold-Hot unit, to keep heated food or cold food. Temperature adjustable from -5 °C to +140 °C (at an ambient temperature of +22 °C).

Glass Coating in RAL colours

1450:-

| | |
|----------------------|---|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | 530 x 330 x 230 mm |
| Heated Area | 530 x 330 mm |
| Power | 240 V, 50/60 Hz / 850 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |

New!

SHC Combo GN 2/1



SHC Combo GN 2/1

34 100:-

Cold-Hot unit, to keep heated food or cold food. Temperature adjustable from -5 °C to +140 °C (at an ambient temperature of +22 °C).

Glass Coating in RAL colours

1620:-

| | |
|----------------------|---|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | 530 x 660 x 230 mm |
| Heated Area | 530 x 660 mm |
| Power | 240 V, 50/60 Hz / 1520 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |

New!

SHC Combo GN 3/1



SHC Combo GN 3/1

39 600:-

Cold-Hot unit, to keep heated food or cold food. Temperature adjustable from -5 °C to +140 °C (at an ambient temperature of +22 °C).

Glass Coating in RAL colours

1815:-

| | |
|----------------------|---|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | 530 x 990 x 230 mm |
| Heated Area | 530 x 990 mm |
| Power | 240 V, 50/60 Hz / 2340 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |

New!

SHC Combo Round



SHC Combo Round

31 000:-

Cold-Hot unit, to keep heated food or cold food. Temperature adjustable from -5 °C to +140 °C (at an ambient temperature of +22 °C).

Glass Coating in RAL colours

2010:-

| | |
|----------------------|---|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | Ø 490 x 230mm |
| Heated Area | Ø 480 mm |
| Power | 240 V, 50/60 Hz / 700 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |

StayHot&Cold

Comfort Combi Plate

External Refrigeration

Our Comfort Combi Plates are also available with installation to an external Multicompressor Refrigeration System

All prices in Swedish Kronors (SEK) excluding GST.

New!

SHC Combo GN 1/1 MRS



| | | |
|---|---|-----------------|
| SHC Combo GN 1/1 MRS | | 26 950:- |
| Cold-Hot unit, to keep heated food or cold food, with installation to an external Multicompressor Refrigeration System. Adjustable from -5 °C to +140 °C. | | |
| Glass Coating in RAL colours | | 1450:- |
| | | |
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS | |
| Optional | Glass Coating 2 mm | |
| Dimensions | 530 x 330 x 140 mm | |
| Heated Area | 530 x 330 mm | |
| Power | 240 V, 50/60 Hz / 850 W | |
| Accessories | 1 m controller cable 2 m power supply | |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units | |
| Refrigerant fluid | R134a, R404a, R507a | |

New!


SHC Combo GN 2/1 MRS



| | | |
|---|---|-----------------|
| SHC Combo GN 2/1 MRS | | 29 950:- |
| Cold-Hot unit, to keep heated food or cold food, with installation to an external Multicompressor Refrigeration System. Adjustable from -5 °C to +140 °C. | | |
| Glass Coating in RAL colours | | 1620:- |
| | | |
| Material | 6,9 mm flerskiktmaterial CNS / Aluminium / CNS | |
| Optional | Glasbeläggning 2 mm | |
| Dimensions | 530 x 660 x 140 mm | |
| Heated Area | 530 x 660 mm | |
| Power | 240 V, 50/60 Hz / 1520 W | |
| Accessories | 1 m controller cable 2 m power supply | |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units | |
| Refrigerant fluid | R134a, R404a, R507a | |

New!


SHC Combo GN 3/1 MRS



| | | |
|---|---|-----------------|
| SHC Combo GN 3/1 MRS | | 39 200:- |
| Cold-Hot unit, to keep heated food or cold food, with installation to an external Multicompressor Refrigeration System. Adjustable from -5 °C to +140 °C. | | |
| Glass Coating in RAL colours | | 1815:- |
| | | |
| Material | 6,9 mm flerskiktmaterial CNS / Aluminium / CNS | |
| Optional | Glasbeläggning 2 mm | |
| Dimensions | 530 x 990 x 140 mm | |
| Heated Area | 530 x 990 mm | |
| Power | 240 V, 50/60 Hz / 2340 W | |
| Accessories | 1 m controller cable 2 m power supply | |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units | |
| Refrigerant fluid | R134a, R404a, R507a | |

New!

SHC Combo Round MRS



| | | |
|---|---|-----------------|
| SHC Combo Round MRS | | 31 000:- |
| Cold-Hot unit, to keep heated food or cold food, with installation to an external Multicompressor Refrigeration System. Adjustable from -5 °C to +140 °C. | | |
| Glass Coating in RAL colours | | 2010:- |
| | | |
| Material | 6,9 mm flerskiktmaterial CNS / Aluminium / CNS | |
| Optional | Glasbeläggning 2 mm | |
| Dimensions | Ø 490 x 140mm | |
| Heated Area | Ø 480 mm | |
| Power | 240 V, 50/60 Hz / 700 W | |
| Accessories | 1 m controller cable 2 m power supply | |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units | |
| Refrigerant fluid | R134a, R404a, R507a | |

StayHot&Cold


Comfort Cold Plate

StayHot&Cold also comes as a cold only plate, ready to plug in.

All prices in Swedish Kronors (SEK) excluding GST.

New!

SHC C GN 1/1 Cold Plate



SHC C GN 1/1 Cold Plate

26 200:-

Cold unit, to keep cold food.
Temperature adjustable from -5 °C to +15 °C
(at an ambient temperature of +22 °C).


Glass Coating in RAL colours

1450:-

| | |
|----------------------|--|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | 530 x 330 x 230 mm |
| Usable Area | 530 x 330 mm |
| Power | 240 V, 50/60 Hz / 170 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |

New!

SHC C GN 2/1 Cold Plate



SHC C GN 2/1 Cold Plate

32 100:-

Cold unit, to keep cold food.
Temperature adjustable from -5 °C to +15 °C
(at an ambient temperature of +22 °C).

Glass Coating in RAL colours

1620:-

| | |
|----------------------|--|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | 530 x 660 x 230 mm |
| Usable Area | 530 x 660 mm |
| Power | 240 V, 50/60 Hz / 170 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |

New!

SHC C GN 3/1 Cold Plate



SHC C GN 3/1 Cold Plate

37 800:-

Cold unit, to keep cold food.
Temperature adjustable from -5 °C to +15 °C
(at an ambient temperature of +22 °C).


Glass Coating in RAL colours

1815:-

| | |
|----------------------|--|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | 530 x 990 x 230 mm |
| Usable Area | 530 x 990 mm |
| Power | 240 V, 50/60 Hz / 170 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |

New!

SHC C Round Cold Plate



SHC C Round Cold Plate

33 500:-

Cold unit, to keep cold food.
Temperature adjustable from -5 °C to +15 °C
(at an ambient temperature of +22 °C).

Glass Coating in RAL colours

2010:-

| | |
|----------------------|--|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | Ø 490 x 230mm |
| Usable Area | Ø 480 mm |
| Power | 240 V, 50/60 Hz / 170 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |

StayHot&Cold

Comfort Hot Plate

If you're only after heat, our Comfort Hot Plate is the answer to your needs.

All prices in Swedish Kronors (SEK) excluding GST.

New!

SHC H GN 1/1 Hot Plate




| | | |
|--|--|----------------|
| SHC H GN 1/1 Hot | | 9 720:- |
| Hot unit, to keep hot food. Temperature adjustable from +20 °C to +140 °C (at an ambient temperature of +22° C). | | |
| Glass Coating in RAL colours | | 1450:- |

| | |
|-----------------------------|---|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | 530 x 330 x 230 mm |
| Heated Area | 530 x 330 mm |
| Power | 240 V, 50/60 Hz / 850 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |

New!

SHC H GN 2/1 Hot Plate




| | | |
|--|--|-----------------|
| SHC H GN 2/1 Hot | | 13 770:- |
| Hot unit, to keep hot food. Temperature adjustable from +20 °C to +140 °C (at an ambient temperature of +22° C). | | |
| Glass Coating in RAL colours | | 1620:- |

| | |
|-----------------------------|---|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | 530 x 660 x 60 mm |
| Heated Area | 530 x 660 mm |
| Power | 240 V, 50/60 Hz / 1520 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |

New!

SHC H GN 3/1 Hot Plate



| | | |
|--|--|-----------------|
| SHC H GN 3/1 Hot | | 17 850:- |
| Hot unit, to keep hot food. Temperature adjustable from +20 °C to +140 °C (at an ambient temperature of +22° C). | | |
| Glass Coating in RAL colours | | 1815:- |


| | |
|-----------------------------|---|
| Material | 6,9 mm thick multi-layer material CNS / Aluminium / CNS |
| Optional | Glass Coating 2 mm |
| Dimensions | 530 x 990 x 60 mm |
| Heated Area | 530 x 990 mm |
| Power | 240 V, 50/60 Hz / 2340 W |
| Accessories | 1 m controller cable 2 m power supply |
| Special Requirements | The supply air and exhaust air must be ensured in the compact units |


Glass Coating Colours


Choose between 17 different colours for a professional och fresh breakfast and lunch buffet, using our 2mm glass coatings.


The glass coatings can be ordered as add-ons to all in-counter units.


RAL Colours



Ral 1007



Ral 1023



Ral 3000



Ral 5001



Ral 5005



Ral 6005



Ral 6015



Ral 6033



Ral 7000



Ral 7009



Ral 7011



Ral 1016


Ral 7021


Ral 7031


Ral 7035


Ral 9004


Ral 9010

StayHot&Cold

On Counter Units

Our on counter units are all available in gastronorm sizes; GN 1/1, 2/1 and 3/1.

All prices in Swedish Kronors (SEK) excluding GST.

New!

On Counter Combi Plate



| | |
|-----------------------------|----------|
| SHC GN 1/1 On Counter Combo | 32 300:- |
| SHC GN 2/1 On Counter Combo | 38 400:- |

| | | |
|-------------|------------------------------------|-------------------------|
| Temperature | Adjustable from -5 °C to +140 °C | |
| Power | GN 1/1 | 850 W, 240 V, 50/60 Hz |
| | GN 2/1 | 1520 W, 240 V, 50/60 Hz |
| Dimensions | GN 1/1 | 530 x 330 x 145 mm |
| | GN 2/1 | 530 x 660 x 145 mm |
| Heat Area | GN 1/1 | 530 x 330 mm |
| | GN 2/1 | 660 x 530 mm |
| Accessories | 1 m controller cable | |
| | 2 m power supply | |
| Finish | Available in black or white finish | |

New!

On Counter Cold Plate



| | |
|----------------------------------|----------|
| SHC GN 1/1 On Counter Cold Plate | 30 700:- |
| SHC GN 2/1 On Counter Cold Plate | 36 800:- |

| | | |
|-------------|------------------------------------|------------------------|
| Temperature | Adjustable from -5 °C to +15 °C | |
| Power | GN 1/1 | 170 W, 240 V, 50/60 Hz |
| | GN 2/1 | 170 W, 240 V, 50/60 Hz |
| Dimensions | GN 1/1 | 530 x 330 x 145 mm |
| | GN 2/1 | 530 x 660 x 145 mm |
| Usable Area | GN 1/1 | 530 x 330 mm |
| | GN 2/1 | 660 x 530 mm |
| Accessories | 1 m controller cable | |
| | 2 m power supply | |
| Finish | Available in black or white finish | |

New!

On Counter Hot Plate



| | |
|---------------------------------|----------|
| SHC GN 1/1 On Counter Hot Plate | 9 720:- |
| SHC GN 2/1 On Counter Hot Plate | 13 770:- |
| SHC GN 3/1 On Counter Hot Plate | 17 850:- |

| | | |
|-------------|-----------------------------------|-------------------------|
| Temperatur | Adjustable from +20 °C to +140 °C | |
| Power | GN 1/1 | 850 W, 240 V, 50/60 Hz |
| | GN 2/1 | 1520 W, 240 V, 50/60 Hz |
| | GN 3/1 | 2340 W, 240 V, 50/60 Hz |
| Dimensions | GN 1/1 | 530 x 330 x 80 mm |
| | GN 2/1 | 660 x 530 x 80 mm |
| | GN 2/1 | 990 x 530 x 80 mm |
| Heated Area | GN 1/1 | 530 x 330 mm |
| | GN 2/1 | 660 x 530 mm |
| | GN 3/1 | 990 x 530 mm |
| Accessories | 1 m controller cable | |
| | 2 m power supply | |

New!

Cold Plate Teppanyaki Ice



| | |
|---------------------------|----------|
| SHC GN 1/1 Ice Teppanyaki | 43 900:- |
| SHC GN 2/1 Ice Teppanyaki | 49 600:- |

Cook with ice! Enthuse your guests with the new sensational experience. -28°C cold plate.

| | | |
|-------------|---------------------------|------------------------|
| Temperature | Adjustable down to -28 °C | |
| Power | Ice 1 | 450 W, 240 V, 50/60 Hz |
| | Ice 2 | 450 W, 240 V, 50/60 Hz |
| Dimensions | Ice 1 | 530 x 330 x 250 mm |
| | Ice 2 | 660 x 530 x 250 mm |
| Usable Area | 520 x 320 mm | |
| | 640 x 520 mm | |
| Accessories | 1 m controller cable | |
| | 2 m power supply | |



Chill Trays

Staychill

Keep cool in all situations.
Our Staychill™ Chill Trays, available in gastronorm sizes, will keep your food appetizingly fresh, and most importantly, cold.

All prices in Swedish Kronors (SEK) excluding GST.



Staychill Chill Trays



GN 1/1



GN 1/2



GN 1/3



GN 1/4



GN 1/6

New!



Round Model

| | | |
|-----------------------|--------|-------|
| SCSL 1 Chill Tray | GN 1/1 | 695:- |
| SCSL 2 Chill Tray | GN 1/2 | 495:- |
| SCSL 3 Chill Tray | GN 1/3 | 435:- |
| SCSL 4 Chill Tray | GN 1/4 | 395:- |
| SCSL 6 Chill Tray | GN 1/6 | 330:- |
| SCSL Round Chill Tray | | 595:- |

| | | |
|--------------|--|-------------------|
| Material | Aluminium | |
| Dimensions | GN 1/1 | 525 x 325 x 36 mm |
| | GN 1/2 | 325 x 265 x 36 mm |
| | GN 1/3 | 325 x 176 x 36 mm |
| | GN 1/4 | 265 x 162 x 36 mm |
| | GN 1/6 | 176 x 162 x 36 mm |
| Instructions | Round | Ø 300 mm |
| | Keep in freezer for 4 hours before use, lasts for approximately 3 hours. | |

Deep Fryers

Stayhot Eco

Our quality deep fryers are manufactured using stainless steel for longevity.

All prices in Swedish Kronors (SEK) excluding GST.

Stayhot Deep Fryer Eco 4



Stayhot Deep Fryer Eco 4 **3060:-**

Our quality deep fryers are manufactured using stainless steel for longevity and comes with exact temperature control.

| | |
|--------------------|---------------------------------|
| Power | 2300 W / 230 V, 16A |
| Volume | 3-4 litres of oil |
| Capacity | 8-11 kg frozen french fries / h |
| Dimensions | 167 x 295 x 380 mm* |
| Certificate | CE Mark Approval |

Stayhot Deep Fryer Eco 6



Stayhot Deep Fryer Eco 6 **3820:-**

A slightly larger deep fryer with larger capacity and exact temperature control.

| | |
|--------------------|----------------------------------|
| Power | 3200 W / 230 V / 16A |
| Volume | 4-5 litres of oil |
| Capacity | 11-14 kg frozen french fries / h |
| Dimensions | 348 x 295 x 380 mm* |
| Certificate | CE Mark Approval |

Stayhot Dual Deep Fryer 4+4



Stayhot Dual Deep Fryer Eco 4+4 **5920:-**

Our dual deep fryer, suitable for large quantity deep frying, is made out of stainless steel with exact temperature control.

| | |
|--------------------|-------------------------------------|
| Power | 2 x 2300 W / 230 V, 16A |
| Volume | 2 x 3-4 litres of oil |
| Capacity | 2 x 8-11 kg frozen french fries / h |
| Dimensions | 218 x 295 x 380 mm* |
| Certificate | CE Mark Approval |

Stayhot Dual Deep Fryer Eco 6+6



Stayhot Dual Deep Fryer Eco 6+6 **7260:-**

Our biggest dual deep fryer with high capacity, made out of stainless steel for longevity.

| | |
|--------------------|--------------------------------------|
| Power | 2 x 3200 W / 230 V / 16A |
| Volume | 2 x 4-5 litres of oil |
| Capacity | 2 x 11-14 kg frozen french fries / h |
| Dimensions | 450 x 295 x 380 mm* |
| Certificate | CE Mark Approval |

* Dimensions excluding handle, inclusive of heating element

Cooking Plates

Cooking plates using induction, touch control and robust plates made out of cast iron.

All prices in Swedish Kronors (SEK) excluding GST.

New!

CT 2010/IN Single Cooking Plate Induction



Stayhot CT 2010/IN1980:-

Induction cooking plate made out of ceramic glass with TouchControl. Temperature pre-selection from 60 °C to 240 °C.

| | |
|-----------------|-------------------|
| Power | 230 V / 2000 W |
| Dimensions | 300 x 380 x 60 mm |
| Cooking Surface | Ø 200 mm |

New!

CT 3410/IN Dual Cooking Plate Induction



Stayhot CT 3410/IN3180:-

Dual induction cooking plate made out of ceramic glass with TouchControl. Temperature pre-selection from 60 °C to 240 °C.

| | |
|-----------------|--------------------------------|
| Power | 230 V / 3400 W (2000 + 1400 W) |
| Dimensions | 600 x 360 x 66 mm |
| Cooking Surface | Ø 200 + 200 mm |

CT 2215/IN Single Cooking Plate Induction



Stayhot CT 2215/IN3680:-

Induction cooking plate made out of ceramic glass with TouchControl.

| | |
|-----------------|-------------------|
| Power | 230 V / 2200 W |
| Dimensions | 305 x 410 x 65 mm |
| Cooking Surface | Ø 190 mm |

CT 2203/TC Single Cooking Plate TouchControl



Stayhot CT 2203/TC2840:-

Cooking plate made out of ceramic glass (Ceran®) with TouchControl, overheating protection and two cooking zones.

| | |
|-------------------|-------------------|
| Power | 230 V / 2200 W |
| Dimensions | 305 x 410 x 75 mm |
| Cooking Surface 1 | Ø 140 mm, 1000 W |
| Cooking Surface 2 | Ø 210 mm, 2200 W |
| Weight | 3.2 kg |
| Power Cord | 1 m |

CT 3400/E Dual Cooking Plate



Stayhot CT 3400/E3880:-

Dual cooking plate made out of ceramic glass (Ceran®) with retractable knobs. Superior, easy-care casing made of brushed stainless steel.

| | |
|-------------------|-----------------------------|
| Power | 230 V / 3400 W |
| Dimensions | 550 x 310 x 65 mm |
| Cooking Surface 1 | Ø 145 mm, 1200 W |
| Cooking Surface 2 | Ø 140 mm / Ø 210 mm, 2200 W |
| Weight | 3.7 kg |
| Power Cord | 1 m |

THS 2022/E Cast Iron Cooking Plate



Stayhot THS 2022/E1640:-

Durable, extra large and powerful professional cast iron heating plate. Ideal for larger pots and pans. Power control via 7-step switch.

| | |
|-----------------|-------------------|
| Power | 230 V / 2000 W |
| Dimensions | 280 x 315 x 80 mm |
| Cooking Surface | Ø 220 mm |
| Weight | 3.9 kg |
| Power Cord | 1 m |

Thermoses & Soup Warmers

Stylish, practical, stylish thermoses and soup warmers.

All prices in Swedish Kronors (SEK) excluding GST.

New!

Stayhot GA 1700 Hot Beverage Dispenser



Stayhot Thermos GA 1700 2120:-

13 litre hot beverage dispenser. Superior pot of double-wall stainless steel in brushed finish. Robust and easy to clean with infinitely variable temperature control.

Power 230 V / 1650 W
Volume 13 L / 52 cups (250 ml)

New!

Stayhot GA 1000 Hot Beverage Dispenser



Stayhot Thermos GA 1000 1790:-

Practical, energy-saving and compact – the ideal companion for wintry events and festivities. Robust and easy to clean with infinitely variable temperature control.

Power 230 V / 950 W
Volume 7 L / 28 cups (250 ml)

Stayhot KA 2000/E Hot Beverage Dispenser




Stayhot KA 2000/E 2940:-

29 litre hot beverage dispenser with tap.

Power 230V / 2000W
Volume 29 L

Stayhot BL 402 Soup Warmer



Stayhot BL 402 4240:-

Serve soup with style. Our Stayhot soup warmers come in various versions. Volume 5 L.

Power 230 V / 300 W
Dimensions Height 350 mm
Diameter Ø 250 mm
Volume 5,1 L

Stayhot RFR 400 Soup Warmer Recessed



Stayhot RFR 400 3590:-

Our recessed Stayhot soup warmer. Volume 5 L.

Power 230 V / 300 W
Dimensions Height 350 mm
Diameter Ø 250 mm
Volume 5,1 L

Accessories & Spare Parts

All our products are made with the highest quality for a long life. In the unlikely event of breakage, it's easy to order from our range of spare parts.

Strip Heaters

| | | |
|---|--------|-------|
| Quartz tube for models V-570 / VL-750 | 575 W | 780:- |
| Quartz tube for models V-640 / VL-820 | 575 W | 790:- |
| Quartz tube for models V-945 / VL-1125 | 750 W | 890:- |
| Quartz tube for models V-1250 / VL-1430 | 1000 W | 990:- |
| Fixtures P+B | | 340:- |
| Light Bulb | 25 W | 78:- |
| Circuit Breaker | | 140:- |
| Rheostat | | 430:- |
| Pilot lamp | | 180:- |
| Strain relief including cable & connector | | 190:- |
| Stand for table mounting / T-Leg H=350 mm | | 980:- |
| Chains L=1500 mm/pair | | 360:- |

Hot Trays

| | |
|--------------------|-------|
| Connection Cord | 90:- |
| Handle model WP250 | 280:- |
| Handle model WP350 | 300:- |

Heat Lamps

| | |
|---|-------|
| Height adjustable cable for heat lamp model 1224 | 810:- |
| Height adjustable cable for heat lamp model 22001 | 810:- |
| Infrared bulb, red, 250 W | 190:- |
| Infrared bulb, white, stain resistant hard glass, 250 W | 210:- |
| Infrared bulb, par 38, white, 175 W | 210:- |

Deep Fryers

| | |
|-----------------------|-------|
| Frying basket ECO 4 | 320:- |
| Frying basket ECO 6 | 360:- |
| Overheating protector | 980:- |
| Thermostat | 520:- |

Soup Warmers

| | |
|----------------------------------|-------|
| Additional stainless liner 5.1 L | 420:- |
|----------------------------------|-------|

Contact

Call us

Mail us

Online

+46 8 35 79 15

info@lobelius.se

www.stayhot.se

Visit us at our exhibition:

Edsviksvägen 90 B
S-191 43 Sollentuna
Sweden

VAT-no: SE556909673701



For more information,
please visit us online at
www.stayhot.se

